

**4.115.243**

	.....	4
1	.....	5
2	.....	6
3	.....	7
4	, ( ) .....	11
5	.....	12
6	.....	13
7	.....	14
8	.....	15
9	.....	23
10	.....	24

4.115.243

4.115.243

24:

4.115.243 . . .

**1**

1.1

4.115.243      4.115.243-01.

1)

2)

1.2

1.3

1.4

1.5

2

2.1

4.115.243\_\_\_\_\_

\_\_\_\_\_

«\_\_\_\_\_» \_\_\_\_\_

- : « « »

: ,600017 . , . ,28

./ : (4922). 23-50-89, 23-19-15

-mail: elprib @ vtsnet. Ru

2.2

2.2.1

223 ( 50° ) 323 ( 50° )

100%, 30 / 2 . 2.01.07-85.

29 .

2.2.2

- - 29 ;

- - 4;

- - 1500 ;

- , - 150 ;

- ( ) - 26 ;

- - 350 .

2.2.3

2.2.4

60 60 .

2.2.5

1.

1

	,	,	,
4.123.005-01	12,35	3,8	0,204
4.058.013	1,76	2,87	0,835
	14,11	6,67	1,039

3

3.1

4.115.243

/			.		.
	4.164.562-02	1	1		
		:			
1	4.266.014		2		
2	6.463.143		16		
		:			
1)	8.920.073		1		
2)		16-6 .5.019	1		
		5932-73			
3)		16.04.019	1		
		11371-78			
4)		3,2 32.0,19	1		
		397-79			
3	4.443.058		4		8.260.019
4	8.126.240		4		
5	8.623.366		8		
6		14 45.36.019	16		
		7805-70			
7		14-6 .5.019	32		
		5927-70			
8		14.65 .019	16		
		6402-70			
9		24-6 .5.019	8		
		5927-70			
10		4,5-10	40		
		5663-79			
11	6.354.168		1		
12	8.870.037		1		
		:			
1)	4.115.243		1		
	4.161.951	2	1		
		:			
	4.123.085	(	-	1	
		)			
	4.161.425	3-10	8		
		:			
	4.115.021		1		

/			.	.
	4.164.526-01	11-14	4	
		:		
	4.115.297-02		1	
	4.162.542	15-18	4	
		:		
1	4.058.013		1	
2	4.058.014		1	
	4.162.336	19	1	
		:		
1	4.123.001		1	
2	8.260.019		4	
	4.162.060	20	1	
		:		
	6.362.013	( )	8	
				*
	4.164.530	21	1	
		:		
	4.114.010		1	
	4.164.525-02	22	1	
		:		
	6.395.011	-	2	
		-201	1	
		6267-74		
		-518,	1	
		2313-034-05015319-2001		
		-0163	1	
		6-27-12-90		

\*

3.2

4.115.243-01

/			.		.
	4.164.562-03	1	1		
		:			
1	4.266.014		2		
2	6.463.143		16		
		:			
1)	8.920.073		1		
2)		16-6 .5.019 5932-73	1		
3)		16.04.019 11371-78	1		
4)		3,2 32.0,19 397-79	1		
3	4.443.058		4		8.260.019
4	8.126.240		4		
5	6.354.168		1		
6		24-6 .5.019 5927-70	8		
7		4,5-10 5663-79	40		
8	8.870.037		1		
		:			
1)	4.115.243		1		
	4.161.951	2	1		
		:			
	4.123.085	( -	1		
		)			
	4.161.425	3-10	8		
		:			
	4.115.021		1		
	4.164.526-01	11-14	4		
		:			
	4.115.297-02		1		
	4.162.542	15-18	4		
		:			
1	4.058.013		1		
2	4.058.014		1		



	4.162.336	19		1	
		:			
1	4.123.001			1	
2	8.260.019			4	
	4.164.558-01	20-21		2	
		:			
	4.289.031			4	
	4.440.001			4	
					*
	4.164.530	22		1	
		:			
	4.114.010			1	
	4.164.525-03	23		1	
		:			
	6.395.011	-		2	
	8.628.215			2	
		-201		1	
		6267-74			
		-518,		1	
		23130934-05015319-			
		2001			
		-0163		1	
		6-27-12-90			

\*

**4** , ( )

4.1 - 15 .

4.2 - 5 .

4.3

4.3.1 -

4.115.243

, , -  
, 5 ( ). -  
3 -

**5**

		,	,

«

»

,

-

,

.

6

4.115.243 \_\_\_\_\_

,

.

\_\_\_\_\_

\_\_\_\_\_

, ,

7

4.115.243 \_\_\_\_\_

,

• •

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

, ,

-----

\_\_\_\_\_

,

• •

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

, ,

• •

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

, ,





**8.3**

8.3.1

120 , - 20 .  
1000-1500 (100-150 ).

，  
- ，  
- ，  
- ，  
- ，  
- ，

**8.4**

8.4.1

4.115.243

4.115.243 ( . ).

60 60 .  
30 / .  
20 .  
24.  
≈ 3  
1,3-1,4  
50 .



8.4.2

4.115.243-01

4.115.243-01

4.115.243

.1 ( . ), -

( ) .10.

,

,

1,2 .

15°

1,2 ,

,

.

,

-

.

,

-

.

8.5

12

.3 ( . ) , -

,

.

.

,

-

,

,

.

,

-

,

.

-

.

.

,

(

-

).

-

.

.3

.

-

11-

12-

( ),

,

,

100-150 ),

( -

12 / ,

,

( ,

)

,



**8.7**

8.7.1

8.7.2

**8.8**

8.8.1

8.8.2

8.8.3

-201 6267-74.

**8.9**

8.9.1

8.9.2

,  
 :  
 - ;  
 - ;  
 - .  
 :  
 - , ;  
 - ;  
 - ;  
 - ;  
 - ( ) .

**8.10**

2.

2

1			-
		.	-
			-
			.
			-
		,	-
		.	-
2	-		-
	-		,
	-		-518
		2313-034-05015319-	
		2001.	-
			-
		,	
			-201
		6267-74.	
3	-		.
	-		
	-		

**8.11**

15.703-2005

-

		-	
-		-	
1	2	3	4



4.115.243


**10**







# Устройство мачтовое. Монтажный чертеж ХЖ4.115.243 МЧ



4.115.243	1
4.115.243-01	2

			-	01
1	4.058.013		4	4
2	4.058.014		4	4
3	4.115.021		8	8
4	4.115.297-02		4	4
5	4.123.001		1	1
6	4.123.085		1	1
7	4.266.014		2	2
8	4.289.031		-	8
9	4.289.013		8	-
10	4.440.001		-	8
11				
12	4.443.058		4	4
13	6.463.143		16	16
14	8.126.240		4	4
15	8.623.366		8	-
16	8.920.073		16	16
17	4.070.201		1	-
18	4.070.200		-	1
19	14x45.36.019 7805-70	16	-	
	5927-70			
20	14-6 .5.019	32	-	
21	16-6 .5.019	16	16	
22	24-6 .5.019	8	8	
23				
24				
25	16.04.019 11371-78	16	16	
26				
27				
28	14.65 .019 6402-70	16	-	
29				
30				
31	3,2x32.019 397-79	16	16	
32				
33				
34	4,5-10 5663-79	40	40	

1.*				
2.	4.115.243			
3.				
4.		.8		.18.
5.			.9	
	4.289.031	.8	( . 2)	
6.			.9	.8
	200			